

Gas Exchange and Indirect Calorimetry Publications Reference List

September 2016

Contents

Articles on research conducted with GE Healthcare respiratory modules	2
Articles on research conducted with the Deltatrac monitor	3
Articles on research conducted with other or unknown equipment	5
General and editorial articles	7

Articles on research conducted with GE Healthcare respiratory modules

- Ashcraft C.M., *et al.* Validity Test of a New Open-Circuit Indirect Calorimeter *JPEN J Parenter Enteral Nutr*, **39(6)**, 738-742 (2015).
- Abdo W.F., *et al.* Increase of oxygen consumption during a progressive decrease of ventilatory support is lower in patients failing the trial in comparison with those who succeed. *Anesthesiology*, **113**, 378-85 (2010).
- Bellani G. *et al.* Increase of Oxygen Consumption during a Progressive Decrease of Ventilatory Support Is Lower in Patients Failing the Trial in Comparison with Those Who Succeed. *Anesthesiology* **113(2)**, 378-385 (2010).
- Briassouli E., *et al.* Reliability of E-COVX spirometric measurements after endotracheal suction in critically ill children *Arch Dis Child* **93**, 481 (2008).
- Briassoulis G. *et al.* Malnutrition, nutritional indices, and early enteral feeding in critically ill children. *Nutrition* **17(7-8)**, 548-57 (2001).
- Briassoulis G. *et al.* The Effects of Endotracheal Suctioning on the Accuracy of Oxygen Consumption and Carbon Dioxide Production Measurements and Pulmonary Mechanics Calculated by a Compact Metabolic Monitor. *Anesthesia and Analgesia* **109(3)**, 873-879 (2009).
- Briassoulis G. *et al.* Influence of different ventilator modes on VO₂ and VCO₂ measurements using a compact metabolic monitor. *Nutrition* **25**, 11-12 (2009).
- Collings N., *et al.* A repeated measures, randomised cross-over trial, comparing the acute exercise response between passive and active sitting in critically ill patients *BMC Anesthesiology*, **15(1)**, (2015).
- Donaldson L. *et al.* Clinical evaluation of a continuous oxygen consumption monitor in mechanically ventilated patients. *Anaesthesia* **58(5)**, 455-460 (2003).
- McLellan S. *et al.* Comparison between the Datex-Ohmeda M-COVX metabolic monitor and the Deltatrac II in mechanically ventilated patients. *Intensive Care Med* **28**, 870-876 (2002).
- Oczenski W. *et al.* Automatic tube compensation in patients after cardiac surgery: effects on oxygen consumption and breathing pattern. *Crit Care Med*. **30(7)**, 1467-71 (2002).
- Oshima T., *et al.* Fulfilling caloric demands according to indirect calorimetry may be beneficial for post cardiac arrest patients under therapeutic hypothermia *Resuscitation* **88**, 81-85 (2015).
- Petrova M.V, *et al.* The use of V02 and VC02 to optimise respiratory support and to wean mechanically ventilated patients after major abdominal surgery *Intensive Care Medicine Experimental- ESICM LIVES*, 3(1):A315 (2015).
- Singer P. *et al.* Comparison of metabolic monitors in critically ill, ventilated patients. *Nutrition* **23(3)**, 281 (2007).
- Stuart-Andrews C.R. *et al.* In vivo validation of the M-COVX metabolic monitor in patients under anaesthesia. *Anaesth Intensive Care* **35(3)**, 398-405 (2007).
- Stuart-Andrews C.R. *et al.* Laboratory validation of the M-COVX metabolic module in measurement of oxygen uptake. *Anaesth Intensive Care* **37(3)**, 399-406 (2009).
- Sundtröm Rehal, M., *et al.* Measuring energy expenditure in the intensive care unit: a comparison of indirect calorimetry by E-sCOVX and Quark RMR with Deltatrac II in mechanically ventilated critically ill patients *Critical Care*, **20**, 104 (2016).
- Tavladaki T., *et al.* Bioenergetics And Metabolic Patterns in Early Onset Severe Sepsis Or Trauma *Intensive Care Medicine Experimental, ESICM LIVES*, 3(1):A43 (2015)
- Wlodarski R., *et al.* Influence of septic shock on energy expenditure in critically ill ICU patients, estimated with indirect calorimetry *Crit Care*, **14**, 547 (2010).

Articles on research conducted with the Deltatrac monitor

- Alves V.G.F. *et al.* Assesment of resting energy expenditure of obese patients: Comparison of indirect calorimetry with formulae. *Clinical nutrition* **28(3)**, 299-304 (2009).
- Aron-Wisnewsky J., *et al.* Nutritional and Protein Deficiencies in the Short Term following Both Gastric Bypass and Gastric Banding *PLoS ONE*, **11(2)**, (2016).
- Basile-Filho A. *et al.* An easy way to estimate energy expenditure from hemodynamic data in septic patients. *Acta Cirurgica Brasileira* **23**, 112-117 Suppl.1 (2008).
- Berg A., *et al.* Whole body protein kinetics during hypocaloric and normocaloric feeding in critically ill patients *Critical Care*, **17**, R158 (2013).
- Bizouarn P. *et al.* Comparison between oxygen consumption calculated by Fick's principle using a continuous thermodilution technique and measured by indirect calorimetry. *Br J Anaesth.* **75(6)**, 719-23 (1995).
- Boullata J. *et al.* Accurate Determination of Energy Needs in Hospitalized Patients. *Journal of the American Dietetic Association* **107(3)**, 393-401 (2007).
- Bracco D. *et al.* Failure in measuring gas exchange in the ICU. *Chest* **107(5)**, 1406-10 (1995).
- Brandi L.S. *et al.* Energy expenditure and severity of injury and illness indices in multiple trauma patients. *Critical Care Medicine* **27(12)**, 2684-2689 (1999).
- Brandi L.S. *et al.* Energy Metabolism of Thoracic Surgical Patients in the Early Postoperative Period: Effect of Posture. *Chest* **109**, 630-37 (1996).
- Clapis F.C.M. *et al.* Mechanical ventilation mode (volume × pressure) does not change the variables obtained by indirect calorimetry in critically ill patients. *Journal of Critical Care* **25(4)**, 659.e9-659.e16 (2010).
- de Klerk G. *et al.* Serial measurements of energy expenditure in critically ill children: useful in optimizing nutritional therapy? *Intensive Care Med* **28**, 1781-1785 (2002).
- De Wit B. *et al.* Challenge of predicting REE in children undergoing surgery for congenital heart disease. *Pediatric critical care medicine* **11(4)**, 496-501 (2010).
- Dvir D. *et al.* Computerized energy balance and complications in critically ill patients: an observational study. *Clin Nutr* **25**, 37-44 (2005).
- Framson C.M. *et al.* Energy expenditure in critically ill children. *Pediatr Crit Care Med* **8**, 264-267 (2007).
- Graf S., *et al.* Evaluation of three indirect calorimetry devices in mechanically ventilated patients: Which device compares best with the Deltatrac II®? A prospective observational study. *Clin Nutr*, **34(1)**, 60-65 (2015).
- Hata J.S. *et al.* A Prospective, Observational Clinical Trial of Fever Reduction to Reduce Systemic Oxygen Consumption in the Setting of Acute Brain Injury. *Neurocritical Care* **9(1)**, (2008).
- Heidegger C.P., *et al.* Optimisation of energy provision with supplemental parenteral nutrition in critically ill patients: a randomised controlled clinical trial. *Lancet* **381(9864)**, 385-393 (2012).
- Holzinger U., *et al.* Resting energy expenditure and substrate oxidation rates correlate to temperature and outcome after cardiac arrest-a prospective observational cohort study. *Critical Care*, **19(1)**, 1 (2015).
- Hulst J.M. *et al.* Adequate feeding and the usefulness of the respiratory quotient in critically ill children. *Nutrition* **21**, 192-198 (2005).
- Japur C.C. *et al.* Harris-Benedict equation for critically ill patients: Are there differences with indirect calorimetry? *J Crit Care* **24(4)**, 628.e1-5 (2009).
- Japur C.C. *et al.* Can an adequate energy intake be able to reverse the negative nitrogen balance in mechanically ventilated critically ill patients. *Journal of Critical Care* **25(3)**, 445-450 (2010).
- Joosten K.F. *et al.* Accuracy of an indirect calorimeter for mechanically ventilated infants and children: the influence of low rates of gas exchange and varying FIO₂. *Crit Care Med* **28(8)**, 3014-8 (2000).
- Joosten K.F. *et al.* Indirect calorimetry in mechanically ventilated infants and children: accuracy of total daily energy expenditure with 2 hour measurements. *Clin Nutr* **18**, 149-152 (1999).
- Keinänen O. *et al.* Calculated versus measured oxygen consumption during and after cardiac surgery. Is it possible to estimate lung oxygen consumption? *Acta Anaesthesiol Scand* **41(7)**, 803-9 (1997).

- Kiiski R. *et al.* Hypermetabolism and Efficiency of CO₂ Removal in Acute Respiratory Failure. *Chest* **195**, 1198-1203 (1994).
- Lei T.H. *et al.* Effect of Body Weight on Temperature Control and Energy Expenditure in Preterm Infants. *Pediatr Neonatol* **51(3)**, 178-81 (2010).
- McHoney M. *et al.* Effect of Laparoscopy and Laparotomy on Energy and Protein Metabolism in Children: A Randomized Controlled Trial. *The Journal of Pediatrics* **157(3)**, 439-444 (2010).
- Oosterveld M.J. *et al.* Energy expenditure and balance following pediatric intensive care unit admission: a longitudinal study of critically ill children. *Pediatr Crit Care Med* **7**, 147-153 (2006).
- Petros S. *et al.* Validity of an abbreviated IC protocol for measurement of REE in mechanically ventilated and spontaneously breathing critically ill patients. *Intensive Care Medicine* **27(7)**, 1164-1168 (2001).
- Piccolo M.F., *et al.* Harris-Benedict Equation and Resting Energy Expenditure Estimates in Critically Ill Ventilator Patients *Am J Crit Care*, **24(1)**, e21-e29 (2016).
- Siirala W. *et al.* Predictive equations over-estimate the resting energy expenditure in amyotrophic lateral sclerosis patients who are dependent on invasive ventilation support. *Nutrition and Metabolism* **7**, 70 (2010).
- Siirala W., *et al.* Validation of indirect calorimetry for measurement of energy expenditure in healthy volunteers undergoing pressure controlled non-invasive ventilation support *J of Clinical Monitoring and Computing*, **26(1)**, 37-43 (Dec 2011).
- Singer P. *et al.* The tight calorie control study (TICACOS): a prospective, randomized, controlled pilot study of nutritional support in critically ill patients. *Intensive Care Med*. **37**, 601-609 (2011).
- Staudinger T. *et al.* Comparison of oxygen cost of breathing with pressure-support ventilation and biphasic intermittent positive airway pressure ventilation. *Critical Care Medicine* **26(9)**, 1518-1522 (1998).
- Strack van Schijndel R.J. *et al.* Optimal nutrition during the period of mechanical ventilation decreases mortality in critically ill, long-term acute female patients: a prospective observational cohort study. *Critical care* **13(4)**, R132 (2009).
- Stuart-Andrews C. *et al.* Non-invasive metabolic monitoring of patients under anesthesia by continuous indirect calorimetry - an in vivo trial of a new method. *BJA* **98(1)**, 45-52 (2007).
- Sundström M., *et al.* Approximation of Resting Energy Expenditure in Intensive Care Unit Patients Using the SenseWear Bracelet- A Comparison With Indirect Calorimetry *JPEN J Parenter Enteral Nutr* (2016).
- Sundström M., *et al.* Indirect calorimetry in mechanically ventilated patients. A systematic comparison of three instruments. *Clin Nutr*. **32(1)**, 118-21 (2012).
- Taylor R. *et al.* Can energy expenditure be predicted in critically ill children? *Pediatr Crit Care Med* **4**, 176-180 (2003).
- Turi R.A. *et al.* Energy metabolism of infants and children with systemic inflammatory response syndrome and sepsis. *Ann Surg* **233**, 581-587 (2001).
- Vazquez Martinez J.L. *et al.* Predicted versus measured energy expenditure by continuous, online indirect calorimetry in ventilated, critically ill children during the early postinjury period. *Pediatric Critical Care Medicine* **5(1)**, 19-27 (2004).
- Weijls P.J.M., *et al.* Early high protein intake is associated with low mortality and energy overfeeding with high mortality in non-septic mechanically ventilated critically ill patients *Critical Care*, **18**, 701 (2014).
- Villet S. *et al.* Negative impact of hypocaloric feeding and energy balance on clinical outcome in ICU patients. *Clin Nutr* **24**, 502-509 (2005).
- Walsh T.S. *et al.* A comparison between the Fick method and indirect calorimetry for determining oxygen consumption in patients with fulminant hepatic failure. *Crit Care Med*. **26(7)**, 153-4 (1998).
- Weintraub V. *et al.* Changes in Energy Expenditure in Preterm Infants During Weaning: A Randomized Comparison of Two Weaning Methods from an Incubator. *Pediatric Research* **61(3)**, 341-4 (2007).
- Wells J.C.K. and Fuller N.J. Precision and accuracy in a metabolic monitor for indirect calorimetry. *European journal of clinical nutrition* **52(7)**, 536-540 (1998).
- White M.S. *et al.* Energy expenditure in 100 ventilated critically ill children: improving the accuracy of predictive equations. *Crit Care Med* **28**, 2307-2312 (2000).
- Zauner A. *et al.* Weight-adjusted resting energy expenditure is not constant in critically ill patients. *Intensive Care Medicine* **32(3)**, 428-434 (2006).

Articles on research conducted with other or unknown equipment

- Alberda C. *et al.* The relationship between nutritional intake and clinical outcomes in critically ill patients: results of an international multicenter observational study. *Intensive Care Med* **35(10)**, 1728-37 (2009).
- Arabi Y.M., *et al.* Permissive Underfeeding or Standard Enteral Feeding in Critically Ill Adults *N Engl J Med*, **372**, 2398-2408 (2015).
- Avitzur Y. *et al.* REE in children with cyanotic and noncyanotic congenital heart disease before and after open heart surgery. *JPEN J Parenter Enteral Nutr* **27**, 47-51 (2003).
- Braunschweig C., *et al.* Impact of declines in nutritional status on outcomes in adult patients hospitalized for more than 7 days. *Journal of the American Dietetic Association*, **100(11)**, 1316-1322 (2000).
- Chalela J.A. *et al.* Acute stroke patients are being underfed. *Neurocritical Care* **1(3)**, 331-4 (2004).
- Chiaki Inadomi *et al.* Comparison of oxygen consumption calculated by Fick's principle (using a central venous catheter) and measured by IC. *Journal of Anesthesia* **22(2)**, 163-6 (2008).
- Cooney R.N., Frankenfield D.C., Determining energy needs in critically ill patients: equations or indirect calorimeters *Current Opinion in Critical Care*, **18(2)**, 174-177 (Apr 2012).
- Coss-Bu J.A. *et al.* Resting energy expenditure in children in a pediatric intensive care unit: comparison of Harris-Benedict and Talbot predictions with indirect calorimetry values. *Am J Clin Nutr*. **67(1)**, 74-80 (1998).
- De Waele, E., *et al.* Measuring resting energy expenditure during extracorporeal membrane oxygenation: preliminary clinical experience with a proposed theoretical model *Acta Anaesthesiologica Scandinavica*, **59(10)**, 1296-1302 (2015).
- Elke G., *et al.* Close to recommended caloric and protein intake by enteral nutrition is associated with better clinical outcome of critically ill septic patients: secondary analysis of a large international nutrition database *Critical Care*, **18**, R29 (2014).
- Epstein C.D. *et al.* Comparison of methods of measurements of oxygen consumption in mechanically ventilated patients with multiple trauma: The Fick method versus indirect calorimetry. *Critical Care Medicine* **28(5)**, 1363-1369 (2000).
- Flanckbaum L. *et al.* Comparison of indirect calorimetry, the Fick method, and prediction equations in estimating the energy requirements of critically ill patients. *Am J Clin Nutr* **69**, 461-466 (1999).
- Ford R.M. *et al.* Critical care management of patients before liver transplantation. *Transplantation Reviews* **24(4)**, 190-206 (2010).
- Frankenfield D.C. *et al.* Validation of a 5-minute steady state indirect calorimetry protocol for resting energy expenditure in critically ill patients. *Journal of American College of Nutrition* **15(4)**, 397-402 (1996).
- Hart D.W. *et al.* Energy expenditure and caloric balance after burn: increased feeding leads to fat rather than lean mass accretion. *Ann Surg*. **235(1)**, 152-61 (2002).
- Hoher J.A. *et al.* A comparison between ventilation modes: How does activity level affect energy expenditure estimates? *Journal of parenteral and enteral nutrition* **32(2)**, 176-183 (2008).
- Jensen G.L., Wheeler D., A new approach to defining and diagnosing malnutrition in adult critical illness. *Curr Opin Crit Care*, **18(2)**, 206-211 (2012).
- Kreymann G., *et al.* Oxygen consumption and resting metabolic rate in sepsis, sepsis syndrome, and septic shock. *Critical care medicine*, **21(7)**, 1012-1019 (1993).
- Kuslapuu M., *et al.* The reason for insufficient enteral feeding in an intensive care unit: A prospective observational study. *Intensive Crit Care Nurs*, **31(5)**, 309-314 (2015).
- Kyle U.G., *et al.* Is indirect calorimetry a necessity or a luxury in the pediatric intensive care unit? *Journal of Parenteral and Enteral Nutrition*, **36(2)**, 177-182 (2012).
- MacDonald A. *et al.* Comparison of formulaic equations to determine energy expenditure in the critically ill patient. *Nutrition* **19(3)**, 233-239 (2003).
- Marik P.E., *et al.* Normocaloric versus hypocaloric feeding on the outcomes of ICU patients: a systematic review and meta-analysis *Intensive Care Medicine*, **42(3)**, 316-323 (2015).
- Masters B. *et al.* Nutrition support in burns - Is there consistency in practice? *Journal of burn care & research* **29(4)**, 561-571 (2008).

- McCarthy M.S. Use of indirect calorimetry to optimize nutrition support and assess physiologic dead space in the mechanically ventilated ICU patient: a case study approach. *AACN Clinical issues* **11(4)**, 619-30 (2000).
- McEvoy C. *et al.* A Reduced Abbreviated Indirect Calorimetry Protocol Is Clinically Acceptable for Use in Spontaneously Breathing Patients With Traumatic Brain Injury. *Nutrition in clinical practice* **24(4)**, 513-519 (2009).
- Mehta N.M. *et al.* Cumulative Energy Imbalance in the Pediatric Intensive Care Unit: Role of Targeted Indirect Calorimetry. *Journal of parenteral and enteral nutrition* **33(3)**, 336-344 (2009).
- Mehta N.M. *et al.* Energy imbalance and the risk of overfeeding in critically ill children. *Pediatric Critical Care Medicine* **12(4)**, 398-405 (2011).
- Meyer R., *et al.* The Challenge of Developing a New Predictive Formula to Estimate Energy Requirements in ventilated Critically Ill Children *Nutr Clin Pract*, **5**, 669-676 (2012) formula
- Miller K.R. *et al.* Clinical Trial Report: Parenteral Nutrition in the Critically Ill. *Current Gastroenterology Reports* **12(4)**, 231-5 (2010).
- Mitsuoka M. *et al.* Utility of measurements of oxygen cost of breathing in predicting success or failure in trials of reduced mechanical ventilatory support. *Respir Care* **46(9)**, 902-10 (2001).
- Miwa K. *et al.* Continuous Monitoring of Oxygen Consumption in Patients Undergoing Weaning from Mechanical Ventilation. *Respiration* **70**, 623-630 (2003).
- Moriyama S. *et al.* Direct expiratory gas analysis after hypothermic cardiopulmonary bypass. *Ann Thorac Cardiovasc Surg* **5(3)**, 150-5 (1999).
- Neumayer L. A., *et al.* Early and sufficient feeding reduces length of stay and charges in surgical patients. *Journal of Surgical Research*, **95(1)**, 73-77 (2001).
- Pirat A. *et al.* Comparison of Measured Versus Predicted Energy Requirements in Critically Ill Cancer Patients. *Respiratory Care* **54(4)**, 487-494 (2009).
- Raynard B. Assessment of energy expenditure in critically ill patients. *Nutrition Clinique et metabolisme* **23(4)**, 192-197 (2009).
- Ratzlaff R., *et al.* Mechanically Ventilated, Cardiothoracic Surgical Patients Have Significantly Different Energy Requirements Comparing Indirect Calorimetry and the Penn State Equations. *Journal of Parenteral and Enteral Nutrition* (2015).
- Scheinkestel C.D. *et al.* Prospective randomized trial to assess caloric and protein needs of critically ill, anuric, ventilated patients requiring continuous renal replacement therapy. *Nutrition* **19(11/12)**, 909 (2003).
- Smallwood C.D., *et al.* Carbon Dioxide Elimination and Oxygen Consumption in Mechanically Ventilated Children *Respiratory Care*, **60(5)**, 718-723 (2015).
- Smyrnios N.A., *et al.* Accuracy of 30-minute indirect calorimetry studies in predicting 24-hour energy expenditure in mechanically ventilated, critically ill patients. *Journal of Parenteral and Enteral Nutrition*, **21(3)**, 168-174 (1997).
- Strack van Schijndel R.M.J., *et al.* Computer-aided support improves early and adequate delivery of nutrients in the ICU *The Journal of Medicine*, **67(11)**, 67 (2009).
- Tajchman S.K., *et al.* Validation Study of Energy Requirements in Critically Ill, Obese Cancer Patients *JPEN J Parenter Enteral Nutr*, (2015).
- Wang X., *et al.* Nutritional Support for Patients Sustaining Traumatic Brain Injury: A Systematic Review and Meta-Analysis of Prospective Studies *PLoS ONE*, **8(3)**, e58838 (2013).
- Wei X., *et al.* The Association Between Nutritional Adequacy and Long-Term Outcomes in Critically Ill Patients Requiring Prolonged Mechanical Ventilation: A Multicenter Cohort Study* *Critical Care Medicine*, **43(8)**, 1569-1579 (2015).
- Weijls P.J.M., *et al.* Optimal Protein and Energy Nutrition Decreases Mortality in Mechanically Ventilated, Critically Ill Patients A Prospective Observational Cohort Study *JPEN J Parenter Enteral Nutr*, **36(1)**, 60-68 (2012).
- Wooley J.A. Indirect calorimetry: applications in practice. *Respir Care Clin N Am*. **12(4)**, 619-33 (2006).
- Zijlstra N. *et al.* 24-hour indirect calorimetry in mechanically ventilated critically ill patients. *Nutr Clin Pract* **22(2)**, 250-5 (2007).

General and editorial articles

- AARC Clinical practice guideline: Metabolic measurements using indirect calorimetry During Mechanical Ventilation- 2004 Revision & Update. Revised by McArthur C. *Respiratory care* **46(9)**, 1073-1079 (2004).
- Ayers P., et al. A.S.P.E.N. Parenteral Nutrition Safety Consensus Recommendations *JPEN J Parenter Enteral Nutr.* **38**, 296-333 (2014).
- Berger, M.M., et al. Best timing for energy provision during critical illness *Crit Care*, **16(2)**, 215 (2012).
- Battezzati A. et al. Indirect calorimetry and nutritional problems in clinical practice. *Acta Diabetol* **38**, 1-5 (2001).
- Brandi L.S. et al. Indirect Calorimetry in Critically Ill Patients: Clinical Applications and Practical Advice. *Nutrition* **13(4)**, 349-358 (1997).
- Brassoulis G., et al. Nutrition Monitoring in the PICU *Pediatric Critical Care Medicine*, **42**, 579-601 (2014).
- Choban P., et al. A.S.P.E.N. Clinical Guidelines- Nutrition Support of Hospitalized Adult Patients With Obesity *JPEN J Parenter Enteral Nutrition* **27(6)**, 714-744 (2013).
- Compher C. et al. Best practice methods to apply to measurement of resting metabolic rate in adults: a systematic review. *Journal of the American Dietetic Association* **106(6)**, 881-903 (2006).
- Connor K.A., *Nutrition and Continuous Renal Replacement Therapy Critical Connections*, **10(4)**, 10-11 (2011).
- Cook R.C. et al. Nutritional support of the pediatric trauma patient. *Seminars in Pediatric Surgery* **9(4)**, 242-251 (2010).
- Fitch C.M.S. et al. The use and interpretation of indirect calorimetry in critically ill patients. *Critical Care Medicine* **28(4)**, 1248-1249 (2000).
- Flaring U. et al. Nutritional support to patients within the pediatric intensive setting. *Pediatric Anesthesia* **19(4)**, 300-312 (2009).
- Frainpont V., et al. Energy Estimation and Measurement in Critically Ill Patients *JPEN J Parenter Entral Nutr*, **37(6)**, 705-713 (2013).
- Fung E.B. Estimating energy expenditure in critically ill adults and children. *AACN Clin Issues* **11(4)**, 480-97 (2000).
- Guttormsen A.B., et al. Determining energy requirements in the ICU *Current Opinion in Clinical Nutrition & Metabolic Care*, **17(2)**, 171-176 (Mar 2014).
- Headley J. Indirect Calorimetry - A trend towards continuous metabolic assessment. *AACN Clinical issues* **14(2)**, 155-167 (2003).
- Hegazi R. A., et al. Evidence-Based Recommendations for Addressing Malnutrition in Health Care: An Updated Strategy From the feed M.E. Global Study Group *JAMDA*, **15**, 544-550, (2014).
- Higgins P.A., et al. Assessing Nutritional Status in Chronically Critically Ill Adult Patients *RN Am J Crit Care*, **15(2)**, 166-177, (2006).
- Hulst J.M. et al. Causes and consequences of inadequate substrate supply to pediatric ICU patients. *Curr Opin Clin Nutr Metab Care* **9**, 297-303 (2006).
- Jannace P.W., et al. Total parenteral nutrition-induced cyclic hypercapnia. *Crit Care Med.*, **16(7)**, 727-8 (1988).
- Jensen G.L., et al. Adult Starvation and Disease-Related Malnutrition A Proposal for Etiology-Based Diagnosis in the Clinical Practice Setting From the International Consensus Guideline Committee *JPEN J Parenter Enteral Nutr*, **34**, 2156-2159 (2010).
- Joosten K.F. Why indirect calorimetry in critically ill patients: what do we want to measure? *Intensive Care Medicine* **27(7)**, 1107-1109 (2001).
- Lev S. et al. Indirect Calorimetry Measurements in the Ventilated Critically Ill Patient: Facts and Controversies—The Heat is On. *Critical Care Clinics* **26(4)**, e1-e9 (2010).
- Malone A.M., et al. Methods of Assessing Energy Expenditure in the Intensive Care Unit *Nutr Clin Pract* **17(1)**, 21-28 (Feb 2002).
- McClave S.A., et al. Guidelines for the Provision and Assessment of Nutrition Support Therapy in the Adult Critically Ill Patient *JPEN J Parenter Enteral Nutr*, **33(3)**, 277-316 (2009).
- McClave S.A. Indirect calorimetry: relevance to patient outcome. *Respir Care Clin N Am* **12(4)**, 635-50 (2006).
- McClave S.A. et al. Should indirect calorimetry be used as part of nutritional assessment? *J Clin Gastroenterol.* **33(1)**, 14-9 (2001).
- McClave S.A. and Snider H.L., Invited review: use of indirect calorimetry in clinical nutrition. *Nutrition in Clinical Practice*, **7(5)**, 207-221 (1992).
- Mehta N. M., et al. Current applications of metabolic monitoring in the pediatric intensive care unit. *Nutrition in Clinical Practice*, **29(3)**, 338-347 (2014).



- Mehta N.M., Optimal Nutritional Therapy for the Critically Ill Child, *Critical Connections* **10(4)**, 12-13 (2011).
- Miles J.M. Energy Expenditure in Hospitalized Patients: Implications for Nutritional Support. *Mayo Clinic Proceedings* **8(6)**, 809-816 (2006).
- Moore K., Taking Guesswork Out of Height and Weight, *Critical connections*, **10(4)**, 6 (2011).
- Port A.M. *et al.* Metabolic support of the obese intensive care unit patient: a current perspective. *Current opinion in clinical nutrition and metabolic care* **13(2)**, 184-191 (2010).
- Preiser J.C., *et al.* Metabolic and nutritional support of critically ill patients: consensus and controversies *Critical Care*, 19:35 (2015).
- Reeves M.M., *et al.* Variation in the application of methods used for predicting energy requirements in acutely ill adult patients: a survey of practice *European J of Clinical Nutrition*, **57**, 1530-1535 (2003).
- Reid C.L., *et al.* Nutritional requirements of surgical and critically-ill patients: do we really know what they need? *Proc Nutr Soc*, **63(3)**, 467-472 (2004).
- Schlein K.M., *et al.* Best Practices for Determining Resting Energy Expenditure in Critically Ill Adults *Nutr Clin Pract*, **29(1)**, 44-55 (Feb 2014).
- Singer P., *et al.* Clinical Guide for the Use of Metabolic Carts: Indirect Calorimetry—No Longer the Orphan of Energy Estimation *ASPEN* **31(1)**, 30-38, (2015).
- Singer P. *et al.* ESPEN Guidelines on Parenteral Nutrition: Intensive care. *Clinical Nutrition* **28**, 387-400 (2009).
- Singer P., *et al.* Simple equations for complex physiology: can we use VCO₂ for calculating energy expenditure? *Critical Care*, 20, 72 (2016).
- Skillmann H.E., *et al.* *Nutrition therapy in the critically ill child* *Current Opinion in Critical Care*, **18(2)**, 192-198 (2012).
- Vizzini A. *et al.* Nutritional support in head injury. *Nutrition* **27(2)**, 129-132 (2011).
- Wischmeyer P., Parenteral nutrition and calorie delivery in the ICU: controversy, clarity, or call to action? *Curr Opin Crit Care*, **18(2)**, 164-73 (2012).

Imagination at work

Product may not be available in all countries and regions. Full product technical specification is available upon request. Contact a GE Healthcare Representative for more information. Please visit www.gehealthcare.com/promotional-locations.

Data subject to change.

© 2016 General Electric Company – All rights reserved.

GE, GE Monogram and Entropy are trademarks of General Electric Company.

GE Healthcare reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. Contact your GE Healthcare representative for the most current information.

GE Healthcare, a division of General Electric Company.

Reproduction in any form is forbidden without prior written permission from GE. Nothing in this material should be used to diagnose or treat any disease or condition. Readers must consult a healthcare professional.

JB43048XX 9/16