



HOSPITAL ACQUIRED INFECTION (HAI)

PATIENT STATISTICS IN THE U.S.

(1)



1 OUT OF **25**
PATIENTS WILL
CONTRACT HAI



90,000
OF THOSE PATIENTS
DIE ANNUALLY



70%


Studies have shown that selected HAIs can be reduced by as much as 70% with the help of the proper patient safety interventions

COST OF HAI IN THE U.S.

(1)



**COST OF AN HAI CASE
CAN RANGE FROM
\$10K- \$50K**



**Direct cost of HAI cases to
hospitals annually
\$28B - \$45B**

RISK FACTORS

(1)

- ✓ **Catheters** (bloodstream, endotracheal and urinary)
- ✓ **Surgery**
- ✓ **Injections**
- ✓ **Health care settings that aren't properly cleaned and disinfected**
- ✓ **Communicable diseases passing between patients and healthcare workers**
- ✓ **Overuse or improper use of antibiotics**

COMMON HAI's

(1)

- ✓ **Central-line associated bloodstream infections (CLABSI)**
- ✓ **Clostridium difficile infections**
- ✓ **Pneumonia**
- ✓ **Methicillin-resistant Staphylococcus aureus (MRSA) infections**
- ✓ **Surgical site infections**
- ✓ **Urinary tract infections**



Follow

**GE Healthcare @ [CLINICALVIEW.GEHEALTHCARE.COM](https://clinicalview.gehealthcare.com)
to learn how our customers are benefiting from our solutions.**

1. <https://www.healthcarefinancenews.com/news/hospital-acquired-infections-keep-rising-wasting-billions-finds-leapfrog>